

| | Search Text | DBs | Time Stamp |
|----|--|------------------------|------------------|
| 1 | ("5767848") or ("6793972") or ("5864871") or ("5894554") or ("5913215") or ("6016504") or ("6026430") or ("6044205") or ("6141653") or ("6356903") or ("6466970") or ("6489980").PN. | USPAT; USOCR | 2006/01/27 16:15 |
| 2 | (table NEAR index\$4) NEAR ID | USPAT | 2006/01/27 14:31 |
| 3 | ("20010037380" "20020002563" "20020035451" "6236987").PN. OR ("6829601").URPN. | US-PGPUB; USPAT; USOCR | 2006/01/27 14:32 |
| 4 | ("20040030726").PN. | US-PGPUB; USPAT; USOCR | 2006/01/30 12:39 |
| 5 | content ADJ management | USPAT | 2006/01/27 15:10 |
| 6 | (content ADJ management) AND ("707" OR "709").clas. | USPAT | 2006/01/27 15:06 |
| 7 | (content ADJ management) AND ("707" OR "709").clas. | US-PGPUB; USPAT | 2006/01/27 15:06 |
| 8 | S7 AND (database\$1 OR repotor\$3 OR (data ADJ store\$1)) | US-PGPUB; USPAT | 2006/01/27 15:07 |
| 9 | S8 AND server\$1 | US-PGPUB; USPAT | 2006/01/27 15:08 |
| 10 | "L10" AND index\$4 | US-PGPUB; USPAT | 2006/01/27 15:08 |
| 11 | S9 and index\$4 | US-PGPUB; USPAT | 2006/01/27 15:09 |
| 12 | S9 and (index\$4 NEAR (database\$1 OR repotor\$4 OR (data ADJ store\$1))) | US-PGPUB; USPAT | 2006/01/27 15:09 |
| 13 | (content ADJ management) ADJ system | USPAT | 2006/01/27 15:11 |
| 14 | S13 AND (database\$1 OR repotor\$3 OR (data ADJ store\$1)) | USPAT | 2006/01/27 15:11 |
| 15 | ("5894554" "5940834" "5941957" "6085195" "6085226").PN. OR ("6397217").URPN. | US-PGPUB; USPAT; USOCR | 2006/01/27 15:23 |
| 16 | ("4866706" "5260878" "5341499" "5392400" "5404522" "5404523" "5404527" "5452460" "5532838" "5535256" "5544649" "5715453" "5727129" "5734835" "5737619" "5742768" "5751956" "5761673" "5774660" "5774670" "5784058" "5793972" "5796952" "5802299" "5809250" "5862330" "5887143").PN. OR ("5894554" "5941957").URPN. | US-PGPUB; USPAT; USOCR | 2006/01/27 15:35 |
| 17 | ("20020112121" "5894554" "5940834" "5941957" "6012071" "6055522" "6085195" "6085226").PN. OR ("6836774").URPN. | US-PGPUB; USPAT; USOCR | 2006/01/27 15:40 |
| 18 | ("5894554" "6052730" "6070185" "6081788" "6233600" "6278449" "6314555" "6317777" "6356285").PN. OR ("6744447").URPN. | US-PGPUB; USPAT; USOCR | 2006/01/27 15:53 |
| 19 | (tableNEARindex\$4).PN. | USPAT; USOCR | 2006/01/27 16:15 |
| 20 | table NEAR index\$4 | USPAT | 2006/01/27 16:15 |
| 21 | (table\$1 NEAR index\$4) AND ("707" OR "709").clas. | USPAT | 2006/01/27 16:15 |
| 22 | ((document\$1 OR page\$1) SAME (table\$1 NEAR index\$4)) AND ("707" OR "709").clas. | USPAT | 2006/01/27 16:16 |
| 23 | ((ID AND (document\$1 OR page\$1)) SAME (table\$1 NEAR index\$4)) AND ("707" OR "709").clas. | USPAT | 2006/01/27 16:16 |
| 24 | ("4713754" "4959769" "4996662" "5119491" "5130924" "5181162" "5276793" "5323312" "5434962" "5438512").PN. OR ("5553216").URPN. | US-PGPUB; USPAT; USOCR | 2006/01/27 16:46 |

| | Search Text | DBs | Time Stamp |
|----|---|---------------------------|------------------|
| 25 | S24 AND web | US-PGPUB; USPAT; USOCR | 2006/01/27 16:46 |
| 26 | (stor\$4 NEAR trigger\$1) | USPAT | 2006/01/30 12:40 |
| 27 | (stor\$4 NEAR trigger\$1) NEAR review | USPAT | 2006/01/30 12:40 |
| 28 | (stor\$4 NEAR trigger\$1) NEAR review\$1 | USPAT | 2006/01/30 12:40 |
| 29 | (stor\$4 NEAR trigger\$1) NEAR review\$4 | USPAT | 2006/01/30 12:40 |
| 30 | (stor\$4 NEAR trigger\$1) SAME review\$4 | USPAT | 2006/01/30 12:41 |
| 31 | (flag\$1 OR trigger\$1) NEAR review\$4 | USPAT | 2006/01/30 12:42 |
| 32 | ((flag\$1 OR trigger\$1) NEAR review\$4) AND ("707" OR "709").clas. | USPAT | 2006/01/30 12:53 |
| 33 | ((flag\$1 OR trigger\$1) NEAR (check\$4 OR review\$4)) AND ("707" OR "709").clas. | USPAT | 2006/01/30 12:54 |
| 34 | ((flag\$1 OR trigger\$1) NEAR (content NEAR (check\$4 OR review\$4))) AND ("707" OR "709").clas. | USPAT | 2006/01/30 12:54 |
| 35 | ((flag\$1 OR trigger\$1) NEAR ((content OR data) NEAR (check\$4 OR review\$4))) AND ("707" OR "709").clas. | USPAT | 2006/01/30 12:56 |
| 36 | ((flag\$1 OR trigger\$1) NEAR stor\$4) | USPAT | 2006/01/30 12:56 |
| 37 | ((flag\$1 OR trigger\$1) NEAR stor\$4) AND ("707" or "709").clas. | USPAT | 2006/01/30 12:56 |
| 38 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. | USPAT | 2006/01/30 12:57 |
| 39 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (review\$4 NEAR (content\$2 OR data)) | USPAT | 2006/01/30 12:59 |
| 40 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (review\$4 NEAR (content\$2 OR data)) AND (advisor\$4 NEAR store\$4) | USPAT | 2006/01/30 13:00 |
| 41 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (review\$4 NEAR (content\$2 OR data)) AND (advisor\$4 NEAR store\$4) AND advisor\$4 | USPAT | 2006/01/30 13:08 |
| 42 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (review\$4 NEAR (content\$2 OR data)) AND (advisor\$4 NEAR store\$4) AND (advisor\$4 NEAR content) | USPAT | 2006/01/30 13:10 |
| 43 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (review\$4 NEAR (content\$2 OR data)) | USPAT | 2006/01/30 13:12 |
| 44 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. | USPAT | 2006/01/30 13:12 |
| 45 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (data\$1 OR content\$1) | USPAT | 2006/01/30 13:12 |
| 46 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (content\$1) | USPAT | 2006/01/30 13:12 |
| 47 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR stor\$4)) AND ("707" or "709").clas. AND (content\$1 NEAR (review\$4 OR check\$4)) | USPAT | 2006/01/30 13:14 |

| | Search Text | DBs | Time Stamp |
|----|---|-------|------------------|
| 48 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR table\$4 OR stor\$4)) AND ("707" or "709").clas. AND (content\$1 NEAR (review\$4 OR check\$4)) | USPAT | 2006/01/30 13:16 |
| 49 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR table\$4 OR stor\$4)) SAME (initiat\$4 OR start\$4) AND ("707" or "709").clas. | USPAT | 2006/01/30 13:17 |
| 50 | ((flag\$1 OR trigger\$1) NEAR (database\$ OR table\$4 OR stor\$4)) NEAR (initiat\$4 OR start\$4) AND ("707" or "709").clas. | USPAT | 2006/01/30 13:18 |
| 51 | (personaliz\$4 OR customiz\$4) NEAR content\$ | USPAT | 2006/01/30 13:19 |
| 52 | ((personaliz\$4 OR customiz\$4) NEAR content\$) SAME (browser OR viewer) | USPAT | 2006/01/30 13:20 |
| 53 | ((personaliz\$4 OR customiz\$4) NEAR content\$) SAME (browser OR viewer) | USPAT | 2006/01/30 13:20 |
| 54 | ((personaliz\$4 OR customiz\$4) NEAR content\$) SAME (browser OR viewer) AND ("707" OR "709").clas. | USPAT | 2006/01/30 14:25 |
| 55 | (trigger\$4 OR flag\$4) NEAR review\$1 | USPAT | 2006/01/30 14:26 |
| 56 | ((trigger\$4 OR flag\$4) NEAR review\$1) AND ("707" OR "709").clas. | USPAT | 2006/01/30 14:28 |
| 57 | ((trigger\$4 OR flag\$4) NEAR automatic\$5) | USPAT | 2006/01/30 14:28 |
| 58 | ((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (review\$1))) | USPAT | 2006/01/30 14:29 |
| 59 | ((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (maintenance1))) | USPAT | 2006/01/30 14:29 |
| 60 | ((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (maintenance\$1))) | USPAT | 2006/01/30 14:29 |
| 61 | ((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (review\$1))) | USPAT | 2006/01/30 14:29 |
| 62 | ((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (read\$1))) | USPAT | 2006/01/30 14:30 |
| 63 | ((trigger\$4 OR flag\$4) NEAR (automatic\$5 ADJ (read\$4))) | USPAT | 2006/01/30 14:30 |
| 64 | ((trigger\$4 OR flag\$4) NEAR (automatic\$5)) | USPAT | 2006/01/30 14:30 |
| 65 | ((trigger\$4 OR flag\$4) NEAR (automatic\$5)) AND ("707" OR "709").clas. | USPAT | 2006/01/30 14:39 |
| 66 | ((trigger\$4 OR flag\$4) NEAR (automatic\$5)) AND ("707" OR "709").clas. AND update | USPAT | 2006/01/30 15:51 |
| 67 | ID NEAR (table\$1 AND document\$1) | USPAT | 2006/01/30 15:52 |
| 68 | index\$4 NEAR site\$1 | USPAT | 2006/01/30 15:52 |
| 69 | (index\$4 NEAR site\$1) AND ID | USPAT | 2006/01/30 15:53 |
| 70 | ((index\$4 NEAR site\$1) AND ID) AND ("707" or "709").clas. | USPAT | 2006/01/30 15:58 |
| 71 | ((index\$4 NEAR site\$1) AND content\$1) AND ("707" or "709").clas. | USPAT | 2006/01/31 09:46 |
| 72 | document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. | USPAT | 2006/01/31 09:47 |
| 73 | document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (url OR webpage OR site) | USPAT | 2006/01/31 09:48 |

| | Search Text | DBs | Time Stamp |
|----|---|-------|------------------|
| 74 | document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (url OR webpage OR site) AND table | USPAT | 2006/01/31 09:48 |
| 75 | document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (url OR webpage OR site) AND table AND indexing | USPAT | 2006/01/31 09:50 |
| 76 | document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (format\$4 NEAR table) NAD (url OR webpage OR site) AND table AND indexing | USPAT | 2006/01/31 09:50 |
| 77 | document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (format\$4 NEAR table\$1) NAD (url OR webpage OR site) AND table AND indexing | USPAT | 2006/01/31 09:50 |
| 78 | document\$4 AND (template\$1 OR outline\$1) AND format\$4 AND content\$1 AND ("707" or "709").clas. AND (format\$4 NEAR table\$1) AND (url OR webpage OR site) AND table AND indexing | USPAT | 2006/01/31 09:54 |
| 79 | cutom\$5 ADJ website | USPAT | 2006/01/31 09:54 |
| 80 | cutom\$6 ADJ website | USPAT | 2006/01/31 09:55 |
| 81 | cutom\$6 ADJ (webpage OR website) | USPAT | 2006/01/31 09:55 |
| 82 | custom\$6 ADJ (webpage OR website) | USPAT | 2006/01/31 09:55 |
| 83 | custom\$6 NEAR (webpage OR website) | USPAT | 2006/01/31 09:56 |
| 84 | template\$1 NEAR (webpage OR website) | USPAT | 2006/01/31 09:58 |
| 85 | template\$1 NEAR (document\$1) | USPAT | 2006/01/31 09:59 |
| 86 | (template\$1 NEAR (document\$1)) AND ("707" OR "709").clas. | USPAT | 2006/01/31 09:59 |
| 87 | (template\$1 NEAR (document\$1)) AND content\$1 AND ("707" OR "709").clas. | USPAT | 2006/01/31 10:12 |
| 88 | (template\$1 NEAR (document\$1)) AND content\$1 AND ("707" OR "709").clas. AND table | USPAT | 2006/01/31 10:15 |
| 89 | "content managment system" | USPAT | 2006/01/31 10:15 |
| 90 | "content management system" | USPAT | 2006/01/31 10:15 |
| 91 | "content management system" AND ("707" OR "709").clas. | USPAT | 2006/01/31 10:15 |